

## Gearbox identification

### Code letters, gearbox allocation, ratios, capacities

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		CGS	AXP	CVA	CPA
<b>Manufactured</b>	from	02.92	12.90	08.94	09.94
	to	07.93	08.94	06.95	07.96
<b>Allocation</b>	model	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä
	engine	1.6 ltr - 75 kW 1)	2.0 ltr - 74 kW 2.0 ltr - 79 kW 2) 2.0 ltr - 85 kW	2.0 ltr - 74 kW 2.0 ltr - 79 kW 2) 2.0 ltr - 85 kW	2.0 ltr - 74 kW 2.0 ltr - 79 kW 2) 2.0 ltr - 85 kW
<b>Ratio</b> Z2 : Z1 = i	final drive	39 : 8 = 4.875	37 : 9 = 4.111	37 : 9 = 4.111	37 : 9 = 4.111
	1st gear	34 : 9 = 3.778	39 : 11 = 3.545	39 : 11 = 3.545	35 : 10 = 3.500
	2nd gear	37 : 17 = 2.176	40 : 19 = 2.105	40 : 19 = 2.105	36 : 17 = 2.118
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838
	reverse	31 : 9 = 3.444	35 : 10 = 3.500	35 : 10 = 3.500	31 : 9 = 3.444

1) Export

2) China, CIS

Code letters	CGS	AXP	CVA	CPA
<b>Speedometer</b>	electronic			
<b>Capacity</b>	2.25 litres			
<b>Specification</b>	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
<b>Clutch actuation</b>	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	210 mm	210 mm 3)	210 mm 3)	210 mm 3)
<b>Drive shaft flange dia.</b>	108 mm	108 mm	108 mm	108 mm
<b>Polygon bearings</b>	no	no	4)	yes
<b>Overall ratio in top gear</b>	4.084	3.444	3.444	3.444

3) Clutch plate dia. 228 mm in vehicles with 79 kW and 85 kW engine

4) With or without polygon bearings, depending on production date/version

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		DDB	DHJ	DEN	CZW
<b>Manufactured</b>	from	11.95	07.96	11.95	10.95
	to	06.96	10.97	12.95	07.96
<b>Allocation</b>	model	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä
	engine	2.0 ltr - 74 kW 2.0 ltr - 79 kW 2) 2.0 ltr - 85 kW	2.0 ltr - 79 kW 2)	1.8 ltr - 92 kW	1.8 ltr - 92 kW
<b>Ratio</b>	final drive	37 : 9 = 4.111	37 : 9 = 4.111	37 : 9 = 4.111	37 : 9 = 4.111

Z2 :Z1=i	1st gear	35 : 10 = 3.500	35 : 10 = 3.500	34 : 9 = 3.778	34 : 9 = 3.778
	2nd gear	36 : 17 = 2.118	36 : 17 = 2.118	37 : 17 = 2.176	37 : 17 = 2.176
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838
	reverse	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444

## 2) China, CIS

Code letters	DDB	DHJ	DEN	CZW
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	210 mm 3)	228 mm	228 mm	228 mm
Drive shaft flange dia.	108 mm	108 mm	108 mm	108 mm
Polygon bearings	yes	yes	yes	yes
Overall ratio in top gear	3.444	3.444	3.444	3.444

## 3) Clutch plate dia. 228 mm in vehicles with 79 kW and 85 kW engine

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		DHZ	ATR	CVQ	CPD
Manufactured	from	07.96	01.92	09.94	01.95
	to	10.97	08.94	02.95	07.96
Allocation	model	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä
	engine	1.8 ltr - 88 kW 2) 1.8 ltr - 92 kW	2.0 ltr - 103 kW 5) 2.3 ltr - 98 kW 6)	2.0 ltr - 103 kW 5) 2.3 ltr - 98 kW 6)	2.0 ltr - 103 kW 5)
Ratio Z2 :Z1=i	final drive	37 : 9 = 4.111	37 : 9 = 4.111	37 : 9 = 4.111	37 : 9 = 4.111
	1st gear	34 : 9 = 3.778	39 : 11 = 3.545	35 : 10 = 3.500	35 : 10 = 3.500
	2nd gear	37 : 17 = 2.176	40 : 19 = 2.105	36 : 17 = 2.118	36 : 17 = 2.118
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838
	reverse	31 : 9 = 3.444	35 : 10 = 3.500	31 : 9 = 3.444	31 : 9 = 3.444

## 2) China, CIS

## 5) Italy

## 6) South Africa

Code letters	DHZ	ATR	CVQ	CPD
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic

Clutch plate dia.	228 mm	228 mm	228 mm	228 mm
<b>Drive shaft flange dia.</b>	108 mm	108 mm	108 mm	108 mm
<b>Polygon bearings</b>	yes	no	no 7)	yes
<b>Overall ratio in top gear</b>	3.444	3.444	3.444	3.444

7) Large-diameter differential bearings, as in gearbox with polygon bearings

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		DHM	AXG	CUY	CNX
<b>Manufactured</b>	from	07.96	12.90	09.94	01.95
	to	10.97	08.94	06.95	06.95
<b>Allocation</b>	model	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä
	engine	2.0 ltr - 103 kW 5)	2.3 ltr - 98 kW	2.3 ltr - 98 kW	2.3 ltr - 98 kW
<b>Ratio</b> Z2 :Z1=i	final drive	37 : 9 = 4.111	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889
	1st gear	35 : 10 = 3.500	39 : 11 = 3.545	39 : 11 = 3.545	35 : 10 = 3.500
	2nd gear	36 : 17 = 2.118	40 : 19 = 2.105	39 : 21 = 1.857	36 : 17 = 2.118
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	39 : 30 = 1.300	40 : 28 = 1.429
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838
	reverse	31 : 9 = 3.444	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500

5) Italy

Code letters	DHM	AXG	CUY	CNX
<b>Speedometer</b>	electronic			
<b>Capacity</b>	2.25 litres			
<b>Specification</b>	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
<b>Clutch actuation</b>	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	228 mm	228 mm	228 mm	228 mm
<b>Drive shaft flange dia.</b>	108 mm	108 mm	108 mm 8) 9)	130 mm 8)
<b>Polygon bearings</b>	yes	no	no 7)	yes
<b>Overall ratio in top gear</b>	3.444	3.258	3.258	3.258

7) Large-diameter differential bearings, as in gearbox with polygon bearings

8) Drive shaft with triple-roller joint

9) Drive shaft flange dia. 130 mm from 01.95 onwards

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		CMA	CVH	CPL	DHS
<b>Manufactured</b>	from	03.93	09.94	01.95	07.96
	to	08.94	02.95	06.96	10.97
<b>Allocation</b>	model	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä
	engine	2.6 ltr - 102 kW 2) 2.6 ltr - 106 kW	2.6 ltr - 102 kW 2)	2.6 ltr - 102 kW 2)	2.6 ltr - 102 kW 2)

		2)			
<b>Ratio</b> Z2 : Z1=i	final drive	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889
	1st gear	34 : 9 = 3.778	34 : 9 = 3.778	34 : 9 = 3.778	34 : 9 = 3.778
	2nd gear	37 : 17 = 2.176	37 : 17 = 2.176	37 : 17 = 2.176	37 : 17 = 2.176
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429
	4th gear	36 : 33 = 1.091	35 : 34 = 1.029	36 : 33 = 1.091	36 : 33 = 1.091
	5th gear	32 : 36 = 0.889	31 : 37 = 0.838	32 : 36 = 0.889	32 : 36 = 0.889
	reverse	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444

2) China, CIS

Code letters	CMA	CVH	CPL	DHS
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	240 mm	240 mm	240 mm	240 mm
Drive shaft flange dia.	130 mm 8)	130 mm 8)	130 mm 8)	130 mm 8)
Polygon bearings	no	no 7)	yes	yes
Overall ratio in top gear	3.457	3.258	3.457	3.457

7) Large-diameter differential bearings, as in gearbox with polygon bearings

8) Drive shaft with triple-roller joint

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		CDX	CVD	CPE	DHN
<b>Manufactured</b>	from	04.92	08.94	01.95	07.96
	to	08.94	02.95	07.96	10.97
<b>Allocation</b>	model	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä
	engine	2.6 ltr - 110 kW	2.6 ltr - 110 kW	2.6 ltr - 110 kW	2.6 ltr - 110 kW
<b>Ratio</b> Z2 : Z1=i	final drive	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889
	1st gear	39 : 11 = 3.545	39 : 11 = 3.545	35 : 10 = 3.500	35 : 10 = 3.500
	2nd gear	39 : 21 = 1.857	39 : 21 = 1.857	35 : 19 = 1.842	35 : 18 = 1.944
	3rd gear	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838
	reverse	35 : 10 = 3.500	35 : 10 = 3.500	31 : 9 = 3.444	31 : 9 = 3.444

Code letters	CDX	CVD	CPE	DHN
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	240 mm	240 mm	240 mm	240 mm
Drive shaft flange dia.	130 mm 8)	130 mm 8)	130 mm 8)	130 mm 8)
Polygon bearings	no	no 7)	yes	yes
Overall ratio in top gear	3.258	3.258	3.258	3.258

7) Large-diameter differential bearings, as in gearbox with polygon bearings

8) Drive shaft with triple-roller joint

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		CER	CUR	CVE	DHP
<b>Manufactured</b>	from	02.94	02.94	08.94	07.96
	to	08.94	06.96	02.95	10.97
<b>Allocation</b>	model	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä
	engine	2.8 ltr - 128 kW 2) 6)	2.8 ltr - 120 kW 2) 2.8 ltr - 128 kW 6)	2.8 ltr - 120 kW 2) 2.8 ltr - 128 kW 6)	2.8 ltr - 120 kW 2)
<b>Ratio</b> Z2 : Z1 = i	final drive	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889
	1st gear	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500
	2nd gear	35 : 19 = 1.842	35 : 19 = 1.842	35 : 19 = 1.842	35 : 18 = 1.944
	3rd gear	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838
	reverse	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444

2) China, CIS

6) South Africa

Code letters	CER	CUR	CVE	DHP
<b>Speedometer</b>	electronic			
<b>Capacity</b>	2.25 litres			
<b>Specification</b>	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
<b>Clutch actuation</b>	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	240 mm	240 mm	240 mm	240 mm
<b>Drive shaft flange dia.</b>	130 mm 8)	130 mm 8)	130 mm 8)	130 mm 8)
<b>Polygon bearings</b>	no	4)	no 7)	yes
<b>Overall ratio in top gear</b>	3.258	3.258	3.258	3.258

4 ) With or without polygon bearings, depending on production date/version

7) Large-diameter differential bearings, as in gearbox with polygon bearings

8) Drive shaft with triple-roller joint

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		DHR	CAC	CUZ	CNY
<b>Manufactured</b>	from	01.95	12.90	12.90	01.95
	to		12.94	02.95	06.96
<b>Allocation</b>	model	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä
	engine	2.8 ltr - 134 kW 10)	2.8 ltr - 128 kW	2.8 ltr - 128 kW	2.8 ltr - 128 kW 2.8 ltr - 142 kW
<b>Ratio</b>	final drive	35 : 9 = 3.889	37 : 10 = 3.700	37 : 10 = 3.700	37 : 10 = 3.700

Z2 :Z1=i	1st gear	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500
	2nd gear	35 : 18 = 1.944	35 : 19 = 1.842	35 : 19 = 1.842	35 : 19 = 1.842
	3rd gear	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838
	reverse	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444

## 10) China

Code letters	DHR	CAC	CUZ	CNY
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	240 mm	240 mm	240 mm	240 mm
Drive shaft flange dia.	130 mm 8)	130 mm 8)	130 mm 8)	130 mm 8)
Polygon bearings	yes	no	no 11)	yes
Overall ratio in top gear	3.258	3.100	3.100	3.100

## 8) Drive shaft with triple-roller joint

## 11) Large-diameter or small-diameter differential bearings, depending on production date/version

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		DBY	DHG	DHH	CUA
Manufactured	from	10.95	07.96	07.96	07.94
	to	06.96	10.97	10.97	08.94
Allocation	model	Audi 100 1991 ä	Audi 100 1991 ä	Audi 100 1991 ä	Audi 100 1991 ä
	engine	2.8 ltr - 128 kW 2.8 ltr - 142 kW	2.8 ltr - 128 kW 2.8 ltr - 142 kW	2.8 ltr - 142 kW	1.9 ltr - 66 kW TDI
Ratio Z2 :Z1=i	final drive	37 : 10 = 3.700	37 : 10 = 3.700	37 : 10 = 3.700	37 : 9 = 4.111
	1st gear	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500	34 : 9 = 3.778
	2nd gear	35 : 18 = 1.944	35 : 18 = 1.944	35 : 18 = 1.944	37 : 17 = 2.176
	3rd gear	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	32 : 36 = 0.889
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	28 : 41 = 0.683
	reverse	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444

Code letters	DBY	DHG	DHH	CUA
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	240 mm	240 mm	240 mm	228 mm
Drive shaft flange dia.	130 mm 8)	130 mm 8)	130 mm 8)	130 mm 8)
Polygon bearings	yes	yes	yes	no
Overall ratio in top gear	3.100	3.100	3.100	2.808

## 8) Drive shaft with triple-roller joint

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		CVM	CUT	DHV	AXJ
<b>Manufactured</b>	from	09.94	01.95	07.96	05.91
	to	02.95	07.96	10.97	07.93
<b>Allocation</b>	model	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä
	engine	1.9 ltr - 66 kW TDI	1.9 ltr - 66 kW TDI	1.9 ltr - 66 kW TDI	2.4 ltr - 60 kW Diesel
<b>Ratio</b> Z2 : Z1 = i	final drive	37 : 9 = 4.111	37 : 9 = 4.111	37 : 9 = 4.111	41 : 9 = 4.556
	1st gear	34 : 9 = 3.778	34 : 9 = 3.778	34 : 9 = 3.778	39 : 11 = 3.545
	2nd gear	37 : 17 = 2.176	37 : 17 = 2.176	37 : 17 = 2.176	39 : 21 = 1.857
	3rd gear	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300	37 : 32 = 1.156
	4th gear	32 : 36 = 0.889	32 : 36 = 0.889	32 : 36 = 0.889	30 : 38 = 0.789
	5th gear	28 : 41 = 0.683	28 : 41 = 0.683	28 : 41 = 0.683	27 : 42 = 0.643
	reverse	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	35 : 10 = 3.500

Code letters	CVM	CUT	DHV	AXJ
<b>Speedometer</b>	electronic			
<b>Capacity</b>	2.25 litres			
<b>Specification</b>	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
<b>Clutch actuation</b>	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	228 mm	228 mm	228 mm	228 mm
<b>Drive shaft flange dia.</b>	130 mm 8)	130 mm 8)	130 mm 8)	130 mm 8)
<b>Polygon bearings</b>	no 7)	yes	yes	no
<b>Overall ratio in top gear</b>	2.808	2.808	2.808	2.929

## 7) Large-diameter differential bearings, as in gearbox with polygon bearings

## 8) Drive shaft with triple-roller joint

Manual gearbox		5-speed 012 / 01W front-wheel drive			
Code letters		CSP	CVL	CUS	DHT
<b>Manufactured</b>	from	04.94	09.94	01.95	07.96
	to	08.94	06.95	06.96	10.97
<b>Allocation</b>	model	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä	<b>Audi 100 1991</b> ä
	engine	2.5 ltr - 85 kW TDI	2.5 ltr - 85 kW TDI	2.5 ltr - 85 kW TDI	2.5 ltr - 85 kW TDI
<b>Ratio</b> Z2 : Z1 = i	final drive	37 : 10 = 3.700	37 : 10 = 3.700	37 : 10 = 3.700	37 : 10 = 3.700
	1st gear	34 : 9 = 3.778	34 : 9 = 3.778	34 : 9 = 3.778	34 : 9 = 3.778
	2nd gear	37 : 17 = 2.176	37 : 17 = 2.176	37 : 17 = 2.176	37 : 17 = 2.176
	3rd gear	34 : 26 = 1.308	34 : 26 = 1.308	34 : 26 = 1.308	34 : 26 = 1.308
	4th gear	28 : 32 = 0.875	28 : 32 = 0.875	28 : 32 = 0.875	28 : 32 = 0.875
	5th gear	24 : 35 = 0.686	24 : 35 = 0.686	24 : 35 = 0.686	24 : 35 = 0.686
	reverse	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444

Code letters	CSP	CVL	CUS	DHT

<b>Speedometer</b>	electronic			
<b>Capacity</b>	2.25 litres			
<b>Specification</b>	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
<b>Clutch actuation</b>	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	240 mm	240 mm	240 mm	240 mm
<b>Drive shaft flange dia.</b>	130 mm 8)	130 mm 8)	130 mm 8)	130 mm 8)
<b>Polygon bearings</b>	no	4)	yes	yes
<b>Overall ratio in top gear</b>	2.538	2.538	2.538	2.538

4) With or without polygon bearings, depending on production date/version

8) Drive shaft with triple-roller joint